

 Hero

XOOM



*GET. SET.*  
*XOOM.*

SCAN TO  
WATCH



**XOOM**



Where are you headed today?

First lecture to late plans.  
**Lines you draw. Vibe you carry.**

Power when it counts,  
**calm when the city slows.**

Detours invited.  
**New pins on the map.**

Everyday runs, little wins.  
**Stories worth sharing.**

**Pick the vibe.  
Set the pace.  
Keep it rolling.**

SCAN TO  
WATCH



## PERFORMANCE



### **FASTEST 125CC SCOOTER (0-60 KM/H IN 7.6 SEC)**

Gets you ahead quicker with class-leading acceleration.



### **i3s TECHNOLOGY**

Saves fuel smartly by switching off the engine during long stops.

\*T&C Apply. Fastest compared to all scooter models in the 125cc segment as per internal testing.

## ULTIMATE CONTROL



### LARGE (R14) WHEELS

Bigger wheels for better stability & comfort on uneven roads.



### 120 MM WIDE REAR TYRE


Extra grip for precise handling and confident braking.

## **SUPERIOR SAFETY**



### **LED PROJECTOR HEADLAMP**

Brighter, focused light for better visibility at night.



### **FRONT DISC BRAKES**

Sharp and strong braking for safer stops.

## SIGNATURE STYLE



### ILLUMINATED START SWITCH

Lights up for a premium,  
modern look.



### SEQUENTIAL LED WINKERS \*\*1ST IN SEGMENT

Stylish turn indicators that improve  
visibility for others.

**METALLIC  
TURBO BLUE** ▶



**MATTE STORM  
GREY** ▼

**MATTE NEON  
LIME** ▼



◀ **INFERNO  
RED**

# TECHNICAL SPECIFICATIONS

<b>Engine</b>	Type Displacement Max Power Max Torque Ignition	Air Cooled, 4 Stroke, SI Engine 124.6 cc 7.3 kw (9.8 bhp) @ 7250 rpm 10.4 Nm @ 6000 rpm Fuel Injection (FI)
<b>Transmission</b>	Type Clutch Type	CVT Dry, Centrifugal
<b>Suspension</b>	Front Rear	Telescopic Hydraulic Shock Absorber Single Side Shock Absorber
<b>Tyres</b>	Front Rear	110/80 - [ R 14 ] 120/70 - [ R 14 ]
<b>Dimensions</b>	Length Width  Height Wheelbase Seat Height Ground Clearance	1978 mm Disc - 749 mm Drum - 739 mm 1131 mm 1327 mm 777 mm 164 mm
<b>Electricals</b>	Battery Starting System	12V - 4Ah /ETZ-5 Electric/kick start
<b>Weight</b>	Kerb Weight  Fuel Tank Capacity	Disc - 121 kg Drum - 120 kg 5 L



## COMPARISON

	Xoom 125 VX	Xoom 125 ZX
<b>Colour</b>		
<b>Wheel Type</b>	Cast Alloy	Machined Alloys
<b>LED Winkers</b>	Yes	Yes (Sequential)
<b>Front Disc Brake</b>	No	Yes (Petal)
<b>Turn-by-Turn Navigation</b>	No	Yes
<b>Front Storage and USB Port</b>	No	Yes
<b>Illuminated Start Button</b>	No	Yes
<b>Boot Lamp</b>	No	Yes



Regd Office: Hero MotoCorp Ltd.,

The Grand Plaza, Plot No.2,  
Nelson Mandela Road,  
Vasant Kunj - Phase -II,  
New Delhi - 110070, India.  
CIN: L35911DL1984PLC017354

Authorised Outlet